

**Quarterly Routine Facility Inspection**

Permit Part II G 6 f (5)

<b>Facility Name:</b>		<b>Allied Concrete- Ready Rock</b>			
<b>Permit Number:</b>		<b>VAG110327</b>			
<b>Date:</b>	<b>March 31, 2021</b>	<b>Time:</b>	<b>2:00 pm</b>	<b>Weather:</b>	<b>rain</b>
<b>Name of Inspector (Print/Sign):</b>		<b>Pete Hawes</b>			

Note: A Measurable Storm Event is an storm event that results in an actual discharge from the site. It must be at least 72 hours from the last Measurable Storm Event for monitoring. At least once per year this inspection must be conducted when a storm water discharge is occurring if practical. At least one member of the SWPPP team must be present during each inspection.

Storm Event Information: If applicable during inspection	Date	Rainfall (inches)	Duration of Storm Event (hours)	Number Hours between Storm Events
Previous Qualifying Storm Event	03/28/21	0.31	2	
Present Qualifying Storm Event	03/31/21	0.44	4.25	75
Valid Storm Event for Stormwater Sampling?	<b>yes</b>			

Describe areas inspected where industrial materials or activities are exposed to storm water (Part III.B.3)	Evidence of pollutants entering Stormwater? Describe: silt, oil sheen, raw materials, debris/trash, etc.	Controls & Measures to reduce pollutants in place and effective?	Stormwater management measures, Erosion & Sedimentation measures operating correctly and intact & maintained?	Additional Pollution Prevention Controls & Measures needed?
Material Handling Areas	No	Yes(1)	Yes	No
Above ground storage tanks	No	Yes(2)	Yes	No
Dust collection/containment systems	minimized	Yes(3)	Yes	No
Truck wash down/equipment cleaning areas	No	Yes(4)	Yes	No
Concrete block production area	minimized	Yes(5)	Yes	Yes(5)
Truck parking areas	No	Yes(6)	Yes	No
Block Turning	No	Yes(7)	Yes	Yes(7)
Outfall 001	No	Yes(8)	Yes	No

Comments, Findings and Corrective Measures required (if applicable, list deficiencies in the implementation of the SWPPP (correction required within 30 days of the inspection). Include date(s) Corrective Measures were achieved for any listed deficiencies.

- (1) Forklift daily inspections and PM
- (2) Form Oil tote inside, secondary containment, minor spills absorbed. Form oil taken outside in closed containers. Diesel fuel in secondary containment.
- (3) Waste containment bin maintained.
- (4) Truck brought to RM plant for clean-out in designated wash out area.
- (5) Routine shoveling/cleaning and sweeping. Vacuum sweeper used periodically.
- (6) Daily vehicle inspection and routine PM
- (7) Use has increased. Sand maintained inside bin.
- (8) No erosion, no stains, no smell. Trash in outfall area to be cleaned.

In Compliance with SWPPP? [YES or NO]  Yes

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

<i>Pete Hawes</i>	<b>Pete Hawes</b>	<b>Safety Director</b>	<b>03/31/21</b>	<b>434-296-7181</b>
Certification Signature	Printed Name	Title	Date	Phone No.

**Quarterly Routine Facility Inspection**

Permit Part II G 6 f (5)

<b>Facility Name:</b>		<b>Allied Concrete- Ready Rock</b>			
<b>Permit Number:</b>		<b>VAG110327</b>			
<b>Date:</b>	<b>June 9, 2021</b>	<b>Time:</b>	<b>4:45 pm</b>	<b>Weather:</b>	<b>rain</b>
<b>Name of Inspector (Print/Sign):</b>		<b>Pete Hawes</b>			

Note: A Measurable Storm Event is a storm event that results in an actual discharge from the site. It must be at least 72 hours from the last Measurable Storm Event for monitoring. At least once per year this inspection must be conducted when a storm water discharge is occurring if practical. At least one member of the SWPPP team must be present during each inspection.

Storm Event Information: If applicable during inspection	Date	Rainfall (inches)	Duration of Storm Event (hours)	Number Hours between Storm Events
Previous Qualifying Storm Event	06/04/21	0.32	0.5	
Present Qualifying Storm Event	06/09/21	0.10	1.5	122
Valid Storm Event for Stormwater Sampling?	<b>yes</b>			

Describe areas inspected where industrial materials or activities are exposed to storm water (Part III.B.3)	Evidence of pollutants entering Stormwater? Describe: silt, oil sheen, raw materials, debris/trash, etc.	Controls & Measures to reduce pollutants in place and effective?	Stormwater management measures, Erosion & Sedimentation measures operating correctly and intact & maintained?	Additional Pollution Prevention Controls & Measures needed?
<b>Material Handling Areas</b>	No	Yes(1)	Yes	No
<b>Above ground storage tanks</b>	No	Yes(2)	Yes	No
<b>Dust collection/containment systems</b>	minimized	Yes(3)	Yes	No
<b>Truck wash down/equipment cleaning areas</b>	No	Yes(4)	Yes	No
<b>Concrete block production area</b>	minimized	Yes(5)	Yes	Yes(5)
<b>Truck parking areas</b>	No	Yes(6)	Yes	No
<b>Block Turning</b>	No	Yes(7)	Yes	Yes(7)
<b>Outfall 001</b>	No	Yes(8)	Yes	No

Comments, Findings and Corrective Measures required (if applicable, list deficiencies in the implementation of the SWPPP (correction required within 30 days of the inspection). Include date(s) Corrective Measures were achieved for any listed deficiencies.

- (1) Forklift daily inspections and PM
  - (2) Form Oil tote inside, secondary containment, minor spills absorbed. Form oil taken outside in closed containers. Diesel fuel in secondary containment.
  - (3) Waste containment bin maintained.
  - (4) Truck brought to RM plant for clean-out in designated wash out area.
  - (5) Routine shoveling/cleaning and sweeping. Vacuum sweeper used periodically.
  - (6) Daily vehicle inspection and routine PM
  - (7) Use has increased. Sand maintained inside bin.
  - (8) No erosion, no stains, no smell. Trash in outfall area to be cleaned.
- Empty totes and barrels removed. General housekeeping improvement continues per recent inspection.**

In Compliance with SWPPP? (YES or NO)  Yes

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

<i>Pete Hawes</i>	<b>Pete Hawes</b>	<b>Safety Director</b>	<b>06/09/21</b>	<b>434-296-7181</b>
Certification Signature	Printed Name	Title	Date	Phone No.

**Quarterly Routine Facility Inspection**

Permit Part II G 6 f (5)

<b>Facility Name:</b>		<b>Allied Concrete- Redi-Rock</b>			
<b>Permit Number:</b>		<b>VAG110327</b>			
<b>Date:</b>	<b>August 13, 2021</b>	<b>Time:</b>	<b>3:45 pm</b>	<b>Weather:</b>	<b>rain</b>
<b>Name of Inspector (Print/Sign):</b>		<b>Pete Hawes</b>			

Note: A Measurable Storm Event is a storm event that results in an actual discharge from the site. It must be at least 72 hours from the last Measurable Storm Event for monitoring. At least once per year this inspection must be conducted when a storm water discharge is occurring if practical. At least one member of the SWPPP team must be present during each inspection.

Storm Event Information: If applicable during inspection	Date	Rainfall (inches)	Duration of Storm Event (hours)	Number Hours between Storm Events
Previous Qualifying Storm Event	07/27/21	1.61	1	
Present Qualifying Storm Event	08/13/21	1.25	1.5	398
Valid Storm Event for Stormwater Sampling?	<b>yes</b>			

Describe areas inspected where industrial materials or activities are exposed to storm water (Part III.B.3)	Evidence of pollutants entering Stormwater? Describe: silt, oil sheen, raw materials, debris/trash, etc.	Controls & Measures to reduce pollutants in place and effective?	Stormwater management measures, Erosion & Sedimentation measures operating correctly and intact & maintained?	Additional Pollution Prevention Controls & Measures needed?
<b>Material Handling Areas</b>	No	Yes(1)	Yes	No
<b>Above ground storage tanks</b>	No	Yes(2)	Yes	No
<b>Dust collection/containment systems</b>	minimized	Yes(3)	Yes	No
<b>Truck wash down/equipment cleaning areas</b>	No	Yes(4)	Yes	No
<b>Concrete block production area</b>	minimized	Yes(5)	Yes	Yes(5)
<b>Truck parking areas</b>	No	Yes(6)	Yes	No
<b>Block Turning</b>	No	Yes(7)	Yes	Yes(7)
<b>Outfall 001</b>	No	Yes(8)	Yes	No

Comments, Findings and Corrective Measures required (if applicable, list deficiencies in the implementation of the SWPPP (correction required within 30 days of the inspection). Include date(s) Corrective Measures were achieved for any listed deficiencies.

- (1) Forklift daily inspections and PM conducted.
  - (2) Form Oil tote inside, secondary containment, minor spills absorbed. Form oil taken outside in closed containers. Diesel fuel in secondary containment.
  - (3) Waste containment bin maintained.
  - (4) Truck brought to RM plant for clean-out in designated wash out area.
  - (5) Routine shoveling/cleaning and sweeping. Vacuum sweeper used recently.
  - (6) Daily vehicle inspection and routine PM
  - (7) Sand maintained inside three-walled bin.
  - (8) No erosion, no stains, no smell.
- General housekeeping improvement continues.**

In Compliance with SWPPP? (YES or NO)  Yes

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

<i>Pete Hawes</i>	<b>Pete Hawes</b>	<b>Safety Director</b>	<b>08/13/21</b>	<b>434-296-7181</b>
Certification Signature	Printed Name	Title	Date	Phone No.

**Comprehensive Site Compliance Evaluation Report**

*Permit Part II G 8 (Comprehensive Site Compliance Evaluation)*

<b>Facility Name:</b>	<b>Allied Concrete- Redi-Rock</b>				
<b>Permit Number:</b>	<b>VAG110327</b>				
<b>Date:</b>	<b>October 27, 2021</b>	<b>Time:</b>	<b>10:00 am</b>	<b>Weather:</b>	<b>sunny</b>
<b>Name of Inspector (Print/Sign):</b>	<b>Pete Hawes</b>				

Note: A Measurable Storm Event is an storm event that results in an actual discharge from the site. It must be at least 72 hours from the last Measurable Storm Event for monitoring.

Storm Event Information: If applicable during CSCE				
	Date	Rainfall (inches)	Duration of Storm Event (hours)	Duration between Storm Events
<b>Previous Qualifying Storm Event</b>				
<b>Present Qualifying Storm Event</b>				
<b>Valid Storm Event for Stormwater Sampling?</b>				

<b>Describe/list areas inspected where industrial materials or activities are exposed to storm water (Part III.B.3)</b>	block production yard, block storage, inside storage, outfall area, truck chute clean-up area.
<b>Elements Evaluated.</b>	Comments/observations relating to the implementation of the SWPPP. Observations shall include such things as: the location(s) of discharges of pollutants from the site; location(s) of previously unidentified sources of pollutants; location(s) of BMPs that need to be maintained or repaired; location(s) of failed BMPs that need replacement; and location(s) where additional BMPs are needed. The report shall identify any incidents of noncompliance that were observed.
<b>Industrial materials, residue or trash that may have or could come into contact with storm water;</b>	Concrete waste and sweepings kept in 3 wall bin; disposed when transportation available. Sand for turn pile kept in 3 wall bin; used periodically. Form oil kept inside and contained to prevent spills.
<b>Leaks or spills from industrial equipment, drums, barrels, tanks or other containers that have occurred within the past three years;</b>	No spills in last 3 years.
<b>Off-site tracking of industrial or waste materials or sediment where vehicles enter or exit the site;</b>	No evidence of off site tracking.
<b>Tracking or blowing of raw, final, or waste materials from areas of no exposure to exposed areas;</b>	Periodic cleaning and sweeping minimizes tracking of materials. Vacuum sweeper truck has been used on site.
<b>Evidence of, or the potential for, pollutants entering the drainage system;</b>	No excess solids observed in area of outfall.
<b>Evidence of pollutants discharging to surface waters at all facility outfalls, and the condition of and around the outfall, including flow dissipation measures to prevent scouring;</b>	No stains, no odors, no oil sheen present at outfall, No erosion. Normal fall debris (leaves, etc.) observed
<b>Review of training performed, inspections completed, maintenance performed, quarterly visual examinations, and effective operation of BMPs;</b>	Training to be conducted 12/21. Quarterly inspections complete to date. QVEs complete to date. 2020 DMR submitted.
<b>Results of both visual and any analytical monitoring done during the past year shall be taken into consideration during the evaluation.</b>	Annual samples remain below benchmark.
<b>Storm Water Pollution Prevention Plan review: any revisions or updates needed.</b>	2021 training documentation to be added when complete.

Comments, Findings and Corrective Measures required (if applicable, list deficiencies or areas which require the SWPPP to be revised (revision within 30 days of the inspection) and controls implemented within 60 days of this inspection). Include date(s) Corrective Measures were achieved for any listed deficiencies.

A visual observation was made for the presence of any unauthorized discharges at the area of Outfall 001 as well as drainages leading to the outfall. No indications of an unauthorized discharge were seen.

In Compliance with SWPPP? [YES or NO]  YES

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

<i>Pete Hawes</i>	<b>Pete Hawes</b>	<b>Safety Director</b>	<b>10/27/21</b>	<b>434-296-7181</b>
Certification Signature	Printed Name	Title	Date	Phone No.